



15 cm base unit pull-out – use the narrowest niches.

K







15 cm base unit pull-out, 90°

Dimensions (mm)

Art. no.

| | 2-tier | 3-tier |
|----------------------------------|----------|----------|
| B = inside cabinet width: | ≥ 112 mm | ≥ 112 mm |
| T = inside cabinet depth: | ≥ 481 mm | ≥ 481 mm |
| H = inside cabinet height: | ≥ 540 mm | ≥ 755 mm |
| h = hole centers: | 380 mm | 595 mm |
| | | |









| 03 5412 | for 90° unit installation right max. load: 12 kg | 15 cm base unit pull-out STYLE, 2-tier complete; incl. textured-surface metal trays and full-extension runners <i>Standard with</i> <i>SOFT</i> STOPP <i>damper</i> |
|---------|---|---|
| 01 5412 | for 90° unit installation right max. load: 12 kg | 15 cm base unit pull-out CLASSIC, 2-tier complete; incl. textured-surface metal trays and full-extension runners <i>Standard with</i> |
| 03 5413 | for 90° unit installation right max. load: 12 kg | 15 cm base unit pull-out STYLE, 3-tier complete incl. textured-surface metal trays and full-extension runners |
| 01 5413 | for 90° unit | 15 cm base unit pull-out CLASSIC, 3-tier complete |


installation right

max. load: 12 kg

Standard with

incl. textured-surface metal trays

and full-extension runners



15 cm base unit pull-out, 45°

| | | 2-tier |
|------------------|-------------------|----------|
| B = insid | e cabinet width: | ≥ 112 mm |
| T = insid | e cabinet depth: | ≥ 495 mm |
| H = insid | e cabinet height: | ≥ 540 mm |
| h = hole | centers: | 380 mm |
| | | |

| 15 cm base unit pull-out STYLE | |
|--|----|
| diagonal, 2-tier | le |
| complete; incl. textured-surface metal trays | fc |
| and full-extension runners | ri |



| Left hand cabinet | Right hand cabinet |
|----------------------|-----------------------|
| ≥112 mm | ≥112 mm |
| | |

| | Dimensions (mm) | Art. no. |
|-------|---------------------------------|----------|
| trays | for 45° cabinet, left slant | 03 5410 |
| | for 45° cabinet, right slant | 03 5411 |





| 15 cm base unit pull-out CLASSIC diagonal, 2-tier | for 45° cabinet, left slant | 01 54 |
|---|---------------------------------|-------|
| complete; incl. textured-surface metal trays and full-extension runners | for 45° cabinet, right slant | 01 54 |



Divider STYLE (left) for 15 cm base unit pull-out baskets

Divider CLASSIC (right) for 15 cm base unit pull-out baskets 5410 411




01 5293

00 5293



The 15 cm towel rail and the tray and baking tray rack offer practical and customizable ways of using space in narrow base units.









Art. no. Dimensions (mm)

03 5418

01 5418

15 cm towel-rail pull-out STYLE complete; incl. full-extension runners

installation right


for 90° unit



15 cm towel-rail pull-out CLASSIC complete; incl. full-extension runners for 90° unit

installation right





| B = | inside cabinet width: | ≥ 112 mm |
|-----|------------------------|----------|
| T = | inside cabinet depth: | ≥ 481 mm |
| H = | inside cabinet height: | ≥ 540 mm |
| h = | hole centers: | 380 mm |



Dimensions (mm) Art. no. 03 5419

15 cm tray and baking tray pull-out STYLE

complete; incl. full-extension runners for 90 $^{\circ}$ unit

installation right



15 cm tray and baking tray pull-out CLASSIC

complete; incl. full-extension runners for 90° unit

installation right



01 5419

