SWIVEL PULL-OUT FOR LARDER UNITS



TANDEM swivel pull-out – two shelf elements behind one door.

TANDEM swivel pull-out

K



More storage space, better organised, better access.

TANDEM offers completely new potential for food storage - just opening the door is an inspiration. In a clever piece of engineering, the back shelf element moves automatically towards the user as the door is pulled open. Kitchen users can check contents at a glance and easily reach what they want. The shelf element on the door is designed to make best use of the available space.

Double the gain by installing two TANDEMs in one kitchen unit: as a TANDEM Depot, in 90-, 100- and 120-cm units.

1.1

Trays and baskets can be fitted at different levels

Smooth, silent opening and closing

Simplified assembly

Generous storage space in the door shelf



Choice of trays/baskets

Metal baskets





ARENA Classic




ARENA Style









TANDEM swivel pull-out

Cabinet width	45 cm	50 cm	60 cm
B = Inside width:	≥ 412 mm	≥ 462 mm	≥ 562 mm
T = Inside depth:	≥ 500 mm	≥ 500 mm	≥ 500 mm
H = Inside height:			3-tier: from 800 mm
	4-tier: from 1100 mm	4-tier: from 1100 mm	4-tier: from 1100 mm
	6-tier: from 1700 mm	6-tier: from 1700 mm	6-tier: from 1700 mm
W = Opening angle:	110°	110°	110°
max. load for 6 layers:	pull-out shelf: 50 kg	pull-out shelf: 50 kg	pull-out shelf: 60 kg
	door shelf: 20 kg	door shelf: 20 kg	door shelf: 25 kg

		Dimensions (mm)	Art. no.	
Clip-on shelf ARENA St				
for TANDEM swivel pul	ll-out	WxDxH		
for cabinet width:	450 mm	383 x 275 x 75	05 3434	N N
	500 mm	433 x 275 x 75	05 3439	
	600 mm	518 x 275 x 75	05 3444	
On request with				
ARENA Dus anti-slip finish				
Clip-on shelf ARENA Cl	lassic			~
for TANDEM swivel pul	ll-out			
		WxDxH		3
for cabinet width:	450 mm	383 x 275 x 88	01 3434	
	500 mm	433 x 275 x 88	01 3439	2000
	600 mm	518 x 275 x 88	01 3444	
On request with				
ARENADUS anti-slip finish				
Clip-on metal basket				
for TANDEM swivel pul	ll-out			
		WxDxH		
for cabinet width:	450 mm	368 x 275 x 80	00 3434	
	500 mm	418 x 275 x 80	00 3439	
	600 mm	518 x 275 x 80	00 3444	